Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

- 1-39. (cancelled)
- 40. (currently amended) An isolated DNA molecule comprising:
 - (a) DNA encoding an OmpA signal peptide;
 - (b) DNA encoding a tPA or K2S molecule;
 - (c) DNA encoding a peptide selected from the group consisting of SEGN (SEQ ID NO:9) and SEGNSD (SEQ ID NO:10);

wherein said DNA of (a) is located upstream of said DNA of (c), and said DNA of (b) is located downstream of said DNA of (c);

wherein said DNAs of (a), (b), and (c) are operably linked; and

wherein a prokaryotic host cell transformed with said DNA

molecule secretes said tPA or K2S molecule extracellularly as a thrombolytically
active protein.

- 41. (previously presented) The isolated DNA molecule of claim 40, wherein the OmpA signal peptide is encoded by the sequence of SEQ ID NO:3.
- 42. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (c) is TCTGAGGGAAAC (SEQ ID NO:20).
- 43. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (c) is TCTGAGGGAAACAGTGAC (SEQ ID NO:1).

- 44. (cancelled)
- 45. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) is SEQ ID NO:4.
- 46. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) encodes a K2S molecule selected from the group consisting of SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, and SEQ ID NO:18.
- 47. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) encodes amino acids at least 90% identical to amino acids 87 527 of SEQ ID NO:19.
- 48. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) encodes amino acids at least 90% identical to amino acids 174 527 of SEQ ID NO:19.
- 49. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) encodes amino acids at least 90% identical to amino acids 180 527 of SEQ ID NO:19.
- 50. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA of (b) encodes amino acids at least 90% identical to amino acids 220 527 of SEQ ID NO:19.

- 51. (previously presented) The isolated DNA molecule of claim 40, wherein said DNA molecule of (b) hybridizes under stringent conditions to a DNA molecule consisting of SEQ ID NO:4, wherein the hybridization is carried out in 6x SSC, 5x Deinhardt's solution, and 0.1% SDS at 65°C followed by a washing step in 0.2 SSC, 0.01% SDS at 65°C.
- 52. (previously presented) A vector comprising the DNA molecule of claim 40.
- 53. (previously presented) The vector of claim 52, further comprising the DNA sequence of a ribosome binding site and of the lac promoter.
- 54. (previously presented) The vector of claim 53, further comprising the DNA sequence of the β lactamase gene.
- 55. (previously presented) The vector of claim 54, further comprising the DNA sequence of the gpIII gene.
- 56. (previously presented) The vector of claim 55, wherein the expression of the gpIII protein is suppressed or inhibited by deleting the DNA molecule encoding said gpIII protein or by a stop codon between the gene coding for the functional variant of tissue plasminogen activator protein and the gpIII protein.
- 57. (cancelled)
- 58. (previously presented) A prokaryotic host cell comprising the DNA molecule of claim 40.
- 59. (previously presented) The host cell of claim 58, wherein said host cell is E. coli.

60. (previously presented) A method of producing a vector comprising inserting the DNA molecule of claim 40 into a vector.